

SAFETY DATA SHEET

Issue Date 30-Jun-2015 Revision Date 24-Mar-2021 Version 1

1. IDENTIFICATION

Product identifier

Product Name External Ammunition Sealant 59541

Other means of identification

Product Code MS-59541 UN/ID no. UN 3082 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended UseUV Anaerobic Adhesive.

Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Specific target organ toxicity (single exposure)	Category 3

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if inhaled Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause respiratory irritation



Appearance No information available

Physical state Liquid

Odor Mild

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed
May be harmful in contact with skin
Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
2-PHENOXYETHYL ACRYLATE ESTER	48145-04-6	30 - 60	*
ISOOCTYL ACRYLATE	29590-42-9	10 - 30	*
ETHOXYLATED TRIMETHYLOLPROPANE TRIACRYLATE	28961-43-5	7 - 13	*
ETHYLENE GLYCOL DIMETHACRYLATE	97-90-5	3 - 7	*
ACRYLIC ACID	79-10-7	1 - 5	*
PHOTOINITIATOR	162881-26-7	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Irritating organic vapors.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

confined areas.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 46° and 82 °F.

Incompatible materials Strong oxidizers. Strong reducers. Free radical initiators. Inert gases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m ³	TWA: 6 mg/m ³
		(vacated) S*	-

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing. Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Mild

Color Yellow-Clear Odor threshold No information available

Property
pHValues
Does not applyRemarks • Method

Melting point / freezing point

Boiling point / boiling range

Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air No information available > 149 °C / 300 °F > 93.3 °C / 200 °F No information available

No information available

Upper flammability limit:No information available

Lower flammability limit:No information availableVapor pressureNo information availableVapor densityNo information available

Relative density 1.03

Water solubility Slightly soluble

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available Decomposition temperature No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available Oxidizing properties No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

May occur upon inhibitor depletion.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong oxidizers. Strong reducers. Free radical initiators. Inert gases.

Hazardous Decomposition Products

Irritating organic vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ISOOCTYL ACRYLATE 29590-42-9	> 5 g/kg (Rat)	-	-
ETHOXYLATED TRIMETHYLOLPROPANE TRIACRYLATE 28961-43-5	-	> 13 g/kg (Rabbit)	-

ETHYLENE GLYCOL DIMETHACRYLATE	= 3300 mg/kg (Rat)	-	-
97-90-5			
ACRYLIC ACID	= 193 mg/kg (Rat) = 33500 µg/kg	= 280 µL/kg (Rabbit) = 295 mg/kg	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L
79-10-7	(Rat)	(Rabbit)	(Rat) 4 h
PHOTOINITIATOR 162881-26-7	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

Carcinogenicity

 Chemical Name
 ACGIH
 IARC
 NTP
 OSHA

 ACRYLIC ACID
 Group 3

 79-10-7

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 2,396.20 mg/kg

 ATEmix (dermal)
 3,163.20 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ISOOCTYL ACRYLATE	-	0.67: 96 h Pimephales promelas	0.4: 48 h Daphnia magna mg/L
29590-42-9		mg/L LC50	EC50
ACRYLIC ACID 79-10-7	0.17: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.04: 72 h Desmodesmus subspicatus mg/L EC50	222: 96 h Brachydanio rerio mg/L LC50 semi-static	270: 24 h Daphnia magna mg/L LC50 Static 95: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
ACRYLIC ACID	0.38 - 0.46
79-10-7	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID	-	-	-	U008
79-10-7				

14. TRANSPORT INFORMATION

DOT

<u>UN/ID</u> no. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (2-Phenoxyethyl acrylate)

Hazard Class 9
Packing Group III

Special Provisions 8, 146, 173, 335, IB3, T4, TP1, TP29 **Description** Note: Not regulated for ground transport

IATA

UN/ID no. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (2-Phenoxyethyl acrylate)

Hazard Class 9
Packing Group III

Special Provisions A97, A158, A197

Description Limited Quantities: 5 L, 30 kg gross weight

<u>IMDG</u>

UN/ID no. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (2-Phenoxyethyl acrylate)

Hazard Class 9
Packing Group III

Special Provisions 274, 335, 969

Marine pollutant Yes

Description Limited Quantities: 5 L, 30 kg gross weight

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies Complies **EINECS/ELINCS ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0

SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard -

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID	X	X	X
79-10-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical

Properties -

<u>HMIS</u> Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date 30-Jun-2015 Revision Date 24-Mar-2021

Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet