

# SAFETY DATA SHEET

Issue Date 30-Jun-2015 Revision Date 03-Aug-2022 Version 1

# 1. IDENTIFICATION

Product identifier

Product Name Self Sealer 604

Other means of identification

Product Code MS-604 UN/ID no. None Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Sealant.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address
Hernon Manufacturing Inc.
121 Tech Drive
Sanford, FL 32771
800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

### 2. HAZARDS IDENTIFICATION

# Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Serious eye damage/eye irritation | Category 2 |
|-----------------------------------|------------|
| Carcinogenicity                   | Category 2 |
| Reproductive toxicity             | Category 2 |

#### Label elements

#### **Emergency Overview**

# Warning

## Hazard statements

Causes serious eye irritation Suspected of causing cancer Suspected of damaging fertility or the unborn child



Appearance Dispersion Physical state Liquid Odor Ammonia

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

May be harmful if swallowed May be harmful in contact with skin. Causes mild skin irritation

Harmful to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

# <u>Substance</u>

| Chemical Name           | CAS No.    | Weight-% | Trade Secret |
|-------------------------|------------|----------|--------------|
| TITANIUM DIOXIDE        | 13463-67-7 | 10 - 30  | *            |
| MUSCOVITE MICA          | 12001-26-2 | 10 - 30  | *            |
| GLYCOL MONOLAUTYL ETHER | 111-76-2   | 3 - 7    | *            |
| SURFACTANT              | Mixture    | 1 - 5    | *            |
| MINERAL OIL             | 8042-47-5  | 0.1 - 1  | *            |
| AMMONIUM HYDROXIDE      | 1336-21-6  | 0.1 - 1  | *            |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

**Eye contact**Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

MS-604 - Self Sealer 604 Revision Date 03-Aug-2022

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

No information available.

Hazardous combustion products At flame temperatures, traces of toxic fluorides and hydrogen cyanide may be formed.

#### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

For emergency responders

Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. See section 12 for

additional ecological information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Scrape up as much material as possible. Clean residue with soap and water. Store in a

closed container until ready for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash

contaminated clothing before reuse. Ensure adequate ventilation, especially in confined

areas.

### Conditions for safe storage, including any incompatibilities

MS-604 - Self Sealer 604 Revision Date 03-Aug-2022

Storage Conditions Keep at temperatures between 46°F and 82°F (8°C and 28°C).

Incompatible materials Acids.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

| Chemical Name           | ACGIH TLV                 | OSHA PEL   | NIOSH IDLH  |
|-------------------------|---------------------------|--|---|
| MUSCOVITE MICA          | TWA: 3 mg/m³ respirable   | (vacated) TWA: 3 mg/m³ respirable                            |   |
| 12001-26-2              | particulate matter        | dust <1% Crystalline silica<br>TWA: 20 mppcf <1% Crystalline | TWA: 3 mg/m³ containing <1%  Quartz respirable dust |
|                         |                           | silica   | Quartz Tespirable dust                              |
| TITANIUM DIOXIDE        | TWA: 10 mg/m <sup>3</sup> | TWA: 15 mg/m <sup>3</sup> total dust                         | IDLH: 5000 mg/m <sup>3</sup>                        |
| 13463-67-7              |                           | (vacated) TWA: 10 mg/m <sup>3</sup> total                    | TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine              |
|                         |                           | dust   | TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine,        |
|                         |                           |  | including engineered nanoscale                      |
| GLYCOL MONOLAUTYL ETHER | TWA: 20 ppm               | TWA: 50 ppm  | IDLH: 700 ppm                                       |
| 111-76-2                |                           | TWA: 240 mg/m <sup>3</sup>                                   | TWA: 5 ppm  |
|                         |                           | (vacated) TWA: 25 ppm  | TWA: 24 mg/m <sup>3</sup>                           |
|                         |                           | (vacated) TWA: 120 mg/m <sup>3</sup>                         |   |
|                         |                           | (vacated) S*   |   |
|                         |                           | S*   |   |

### **Appropriate engineering controls**

Engineering Controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid

Appearance Dispersion Odor Ammonia

Color White Odor threshold No information available

Property Values Remarks • Method

**pH** 8-10

Melting point / freezing point
Boiling point / boiling range

Flash point
Evaporation rate
Flammability (solid, gas)
Flammability I imit in Air

Flammability Limit in Air Upper flammability limit: Lower flammability limit: No information available > 100 °C / 212 °F > 94 °C / 200 °F No information available No information available

No information available No information available

MS-604 - Self Sealer 604 Revision Date 03-Aug-2022

Vapor pressure < 20 mm @20°C

Vapor density < 1 Relative density 1.24

Water solubility Miscible in water

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

#### Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Incompatible materials.

#### **Incompatible materials**

Acids.

### **Hazardous Decomposition Products**

None known.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

| Chemical Name                       | Oral LD50           | Dermal LD50            | Inhalation LC50                          |
|-------------------------------------|---------------------|------------------------|--|
| TITANIUM DIOXIDE<br>13463-67-7      | > 10000 mg/kg (Rat) | -                      | -  |
| GLYCOL MONOLAUTYL ETHER<br>111-76-2 | = 470 mg/kg (Rat)   | = 435 mg/kg ( Rabbit ) | = 450 ppm (Rat)4 h<br>= 486 ppm (Rat)4 h |
| MINERAL OIL<br>8042-47-5            | > 5000 mg/kg (Rat)  | -                      | -  |
| AMMONIUM HYDROXIDE<br>1336-21-6     | = 350 mg/kg (Rat)   | -                      | -  |

Revision Date 03-Aug-2022

#### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No information available. **Germ cell mutagenicity**No information available.

Carcinogenicity

| Chemical Name     | ACGIH | IARC     | NTP | OSHA |
|-------------------|-------|----------|-----|------|
| TITANIUM DIOXIDE  | =     | Group 2B | =   | X    |
| 13463-67-7        |       | ·        |     |      |
| GLYCOL MONOLAUTYL | A3    | Group 3  | -   | -    |
| ETHER             |       | ·        |     |      |
| 111-76-2          |       |          |     |      |

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

#### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

 ATEmix (oral)
 3,382.50 mg/kg

 ATEmix (dermal)
 4,078.50 mg/kg

 ATEmix (inhalation-vapor)
 20.3918 mg/l

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

| Chemical Name           | Algae/aquatic plants | Fish                            | Crustacea                       |
|-------------------------|----------------------|---------------------------------|---------------------------------|
| GLYCOL MONOLAUTYL ETHER | =                    | 1490: 96 h Lepomis macrochirus  | 1000: 48 h Daphnia magna mg/L   |
| 111-76-2                |                      | mg/L LC50 static                | EC50                            |
|                         |                      | 2950: 96 h Lepomis macrochirus  |                                 |
|                         |                      | mg/L LC50                       |                                 |
| MINERAL OIL             | -                    | 10000: 96 h Lepomis macrochirus | -                               |
| 8042-47-5               |                      | mg/L LC50                       |                                 |
| AMMONIUM HYDROXIDE      | =                    | 8.2: 96 h Pimephales promelas   | 0.66: 48 h Daphnia pulex mg/L   |
| 1336-21-6               |                      | mg/L LC50                       | EC50                            |
|                         |                      | _                               | 0.66: 48 h water flea mg/L EC50 |

# Persistence and degradability

No information available.

### **Bioaccumulation**

| Chemical Name           | Partition coefficient |
|-------------------------|-----------------------|
| GLYCOL MONOLAUTYL ETHER | 0.81                  |
| 111-76-2                |                       |
| MINERAL OIL             | 6                     |
| 8042-47-5               |                       |

<u>Other adverse effects</u> No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

MS-604 - Self Sealer 604 Revision Date 03-Aug-2022

Contaminated packaging Do not reuse container.

**US EPA Waste Number** Not applicable

| Chemical Name      | California Hazardous Waste Status |
|--------------------|-----------------------------------|
| AMMONIUM HYDROXIDE | Toxic                             |
| 1336-21-6          | Corrosive                         |

#### 14. TRANSPORT INFORMATION

DOT Not regulated

UN/ID no. None

Proper shipping name Not regulated

**Hazard Class** None **Packing Group** None **Special Provisions** None

**IATA** Not regulated

UN/ID no. None

Proper shipping name Not regulated

**Hazard Class** None **Packing Group** None **Special Provisions** None

**IMDG** Not regulated

UN/ID no. None

Proper shipping name Not regulated

**Hazard Class** None **Packing Group** None **Special Provisions** None Marine pollutant None

# 15. REGULATORY INFORMATION

International Inventories

Complies **TSCA DSL/NDSL** Complies Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC KECL** Complies **PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

#### **SARA 313**

Revision Date 03-Aug-2022

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                      | SARA 313 - Threshold Values % |
|------------------------------------|-------------------------------|
| GLYCOL MONOLAUTYL ETHER - 111-76-2 | 1.0                           |
| AMMONIUM HYDROXIDE - 1336-21-6     | 1.0                           |

#### SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard -

# CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name      | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|--------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| AMMONIUM HYDROXIDE | 1000 lb                        | -                      | -                         | X                             |
| 1336-21-6          |                                |                        |                           |                               |

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical Name      | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|--------------------|--------------------------|----------------|--------------------------|
| AMMONIUM HYDROXIDE | 1000 lb                  | -              | RQ 1000 lb final RQ      |
| 1336-21-6          |                          |                | RQ 454 kg final RQ       |

### **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name                 | California Proposition 65 |
|-------------------------------|---------------------------|
| TITANIUM DIOXIDE - 13463-67-7 | Carcinogen                |

### U.S. State Right-to-Know Regulations

| Chemical Name           | New Jersey | Massachusetts | Pennsylvania |
|-------------------------|------------|---------------|--------------|
| MUSCOVITE MICA          | X          | X             | X            |
| 12001-26-2              |            |               |              |
| TITANIUM DIOXIDE        | X          | X             | X            |
| 13463-67-7              |            |               |              |
| GLYCOL MONOLAUTYL ETHER | X          | X             | X            |
| 111-76-2                |            |               |              |
| AMMONIUM HYDROXIDE      | X          | X             | X            |
| 1336-21-6               |            |               |              |

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

| 16 | OTHER INFORMATION | INCLUDING DATE   | OF PREPARATION OF THE I | AST REVISION  |
|----|-------------------|------------------|-------------------------|---------------|
| 10 |                   | . INCLUDING DATE | OF FINEFARATION OF THE  | -AOI NEVIOION |

| NFPA_ | Health hazards - | - | Flammability - | Instability -      | Physical and Chemical |
|-------|------------------|---|----------------|--------------------|-----------------------|
|       |                  |   |                |                    | Properties -          |
| HMIS  | Health hazards - | - | Flammability - | Physical hazards - | Personal protection - |

Revision Date 03-Aug-2022

Prepared By SDS coordinator Issue Date 30-Jun-2015 Revision Date 03-Aug-2022

Revision Note No information available

# **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_\_