

SAFETY DATA SHEET

Issue Date 30-Jun-2015

Revision Date 08-Apr-2021

Version 1

1. IDENTIFICATION		
Product identifier		
Product Name	Ammunition Sealant 76083	
Other means of identification		
Product Code	MS-76083	
UN/ID no.	None	
Synonyms	None	
Recommended use of the chemic	al and restrictions on use	
Recommended Use	Ammunition Sealant.	
Uses advised against	None known	
Details of the supplier of the safet	ty data sheet	
Manufacturer Address		
Hernon Manufacturing Inc.		
121 Tech Drive		
Sanford, FL 32771		
800-527-0004		
Emergency telephone number		
Company Phone Number	407-322-4000	
Emergency Telephone	Chemtel 800-255-3924	

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Danger

Hazard statements Harmful in contact with skin Causes severe skin burns and eye damage May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor Call a POISON CENTER or doctor if you feel unwell IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
DIPROPYLENE GLYCOL DIACRYLATE	57472-68-1	60 - 100	*
ACRYLIC ACID	79-10-7	1 - 5	*
PHOTOINITIATOR	162881-26-7	1 - 5	*
CUMENE HYDROPEROXIDE	80-15-9	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact

Skin contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Wash with soap and water. Flush skin with water for several minutes. Remove

	contaminated clothing and shoes. If irritation develops, se clothing before reuse.	ek medical attention. Wa	ish
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. artificial respiration. Get medical attention immediately.	If breathing has stopped,	give
Ingestion	Do NOT induce vomiting. Never give anything by mouth to POISON CENTER or doctor/physician if you feel unwell.	o an unconscious person	. Call a
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	No information available.		
Indication of any immediate medica	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
Suitable extinguishing media Carbon dioxide (CO2). Foam. Dry che Unsuitable extinguishing media Specific hazards arising from the c No information available. Hazardous combustion produc Explosion data Sensitivity to Mechanical Impac Sensitivity to Static Discharge Protective equipment and precaution As in any fire, wear self-contained bre protective gear.	No information available. hemical ts Irritating organic vapors. tt None. None.	ved or equivalent) and full	I
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective e	quipment and emergency procedures		
Personal precautions	Use personal protective equipment as required. Ensure a confined areas.	dequate ventilation, espe	cially in
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep at temperatures between 7 and 29 °C.
Incompatible materials	Strong oxidizing agents. Strong reducing agents. Free radical initiators. Inert gases. Peroxides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m ³	TWA: 6 mg/m ³
		(vacated) S*	

Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventiletien eurotene	

Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing. Wear protective nitrile rubber gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color

Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)

Flammability Limit in Air

Liquid No information available Blue

Values Does not apply No information available > 94 °C / 201 °F > 94 °C / 201 °F No information available No information available Odor Odor threshold Mild No information available

Remarks • Method

Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	1.0499
Water solubility	Negligible
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong reducing agents. Free radical initiators. Inert gases. Peroxides.

Hazardous Decomposition Products

Irritating organic vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIPROPYLENE GLYCOL DIACRYLATE 57472-68-1	= 4600 mg/kg (Rat)	>2 g/kg (Rabbit)	-
ACRYLIC ACID	= 193 mg/kg (Rat) = 33500 µg/kg	= 280 µL/kg (Rabbit) = 295 mg/kg	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L

79-10-7	(Rat)		(Rabbit)	(Rat) 4 h
PHOTOINITIATOR	> 2000 mg/kg	(Rat) > 2	000 mg/kg (Rat)	-
162881-26-7				
CUMENE HYDROPEROXIDE	= 382 mg/kg (Rat) = 0.1	26 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h
80-15-9				
Information on toxicologic				
Information on toxicologic				
Symptoms	No informatior	n available.		
Delayed and immediate ef	fects as well as chronic	effects from short a	nd long-term exposur	<u>e</u>
Sensitization	No information			
Germ cell mutagenicity	No information	n available.		
Carcinogenicity				
Chemical Name	ACGIH	IARC	NTP	OSHA
ACRYLIC ACID	-	Group 3	-	-
79-10-7				
Reproductive toxicity	No informatior			
STOT - single exposure	No informatior	n available.		
STOT - repeated exposure	 No information 	n available.		
Aspiration hazard	No informatior	No information available.		
-				
Numerical measures of to	xicity - Product Inform	ation		
	-			
The following values are c	alculated based on char	oter 3.1 of the GHS d	locument.	
ATEmix (oral)	3,164.00 mg			
	1,000,00 mm	0		

ATEmix (oral)	3,164.00	mg/kg
ATEmix (dermal)	1,969.00	mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACRYLIC ACID	0.17: 96 h Pseudokirchneriella	222: 96 h Brachydanio rerio mg/L	95: 48 h Daphnia magna mg/L
79-10-7	subcapitata mg/L EC50 0.04: 72 h	LC50 semi-static	EC50 270: 24 h Daphnia magna
	Desmodesmus subspicatus mg/L		mg/L LC50 Static
	EC50		
CUMENE HYDROPEROXIDE	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
80-15-9		mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
ACRYLIC ACID	0.38 - 0.46
79-10-7	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and
	regulations.

Contaminated packaging

Do not reuse container.	
DU HULTEUSE CUITAILLEL.	

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID	-	-	-	U008

79-10-7				
CUMENE	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

Chemical Name	California Hazardous Waste Status
CUMENE HYDROPEROXIDE	Toxic
80-15-9	Ignitable

14. TRANSPORT INFORMATION

DOT_	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
IATA	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
IMDG	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0
CUMENE HYDROPEROXIDE - 80-15-9	1.0

SARA 311/312 Hazard Categories

Acute health hazard	-
Chronic Health Hazard	-
Fire hazard	-
Sudden release of pressure hazard	-
Reactive Hazard	-

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ
CUMENE HYDROPEROXIDE	10 lb	-	RQ 10 lb final RQ
80-15-9			RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID 79-10-7	Х	X	Х
CUMENE HYDROPEROXIDE 80-15-9	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards -	Flammability -	Instability -	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards -	Flammability -	Physical hazards -	Personal protection -
Prepared By Issue Date	SDS coordinator 30-Jun-2015			

09-Mar-2018

No information available

Disclaimer

Revision Date Revision Note

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet