

Issue Date 09-Jul-2015

Revision Date 08-Aug-2022

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** Self Sealer 615

### Other means of identification

**Product Code** MS-615

**UN/ID no.** None

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Sealant.

**Uses advised against** None known

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Hernon Manufacturing Inc.  
121 Tech Drive  
Sanford, FL 32771  
800-527-0004

### Emergency telephone number

**Company Phone Number** 407-322-4000

**Emergency Telephone** Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Vapors)	Category 4
Reproductive toxicity	Category 2

### Label elements

#### Emergency Overview

#### **Warning**

#### **Hazard statements**

Harmful if inhaled

Suspected of damaging fertility or the unborn child



The product contains no substances which at their given concentration, are considered to be hazardous to health

**Appearance** Dispersion**Physical state** Liquid**Odor** Ammonia**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Use only outdoors or in a well-ventilated area

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

May be harmful if swallowed May be harmful in contact with skin. Causes mild skin irritation Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity

48.4719 % of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
RED IRON OXIDE	1309-37-1	10 - 30	*
MUSCOVITE MICA	12001-26-2	10 - 30	*
GLYCOL MONOLAUTYL ETHER	111-76-2	3 - 7	*
MINERAL OIL	8042-47-5	0.1 - 1	*
AMMONIUM HYDROXIDE	1336-21-6	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Description of first aid measures****Eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

**Skin contact**

Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.

**Inhalation**

Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.

**Ingestion**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable extinguishing media**

Water spray (fog). Use CO<sub>2</sub>, dry chemical, or foam.

**Unsuitable extinguishing media** No information available.

**Specific hazards arising from the chemical**

No information available.

**Hazardous combustion products** At flame temperatures, traces of toxic fluorides and hydrogen cyanide may be formed.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. See section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Scrape up as much material as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep at temperatures between 46°F and 82°F (8°C and 28°C).

**Incompatible materials** Acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
MUSCOVITE MICA 12001-26-2	TWA: 3 mg/m <sup>3</sup> respirable particulate matter	(vacated) TWA: 3 mg/m <sup>3</sup> respirable dust <1% Crystalline silica TWA: 20 mppcf <1% Crystalline silica	IDLH: 1500 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> containing <1% Quartz respirable dust
RED IRON OXIDE 1309-37-1	TWA: 5 mg/m <sup>3</sup> respirable particulate matter	TWA: 10 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> fume and total dust Iron oxide (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction regulated under Rouge	IDLH: 2500 mg/m <sup>3</sup> Fe dust and fume TWA: 5 mg/m <sup>3</sup> Fe dust and fume
GLYCOL MONOLAUTYL ETHER 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Use rubber or plastic gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Ammonia
<b>Appearance</b>	Dispersion	<b>Odor threshold</b>	No information available
<b>Color</b>	Orange		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	8-10	
Melting point / freezing point	No information available	
Boiling point / boiling range	>= 100 °C / 212 °F	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		

<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	< 20 mm @20 °C
<b>Vapor density</b>	< 1
<b>Relative density</b>	1.26
<b>Water solubility</b>	Aqueous solution
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Kinematic viscosity</b>	No information available
<b>Dynamic viscosity</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available

**Other Information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Density</b>	No information available
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Incompatible materials.

**Incompatible materials**

Acids.

**Hazardous Decomposition Products**

None known.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	No data available.
<b>Eye contact</b>	No data available.
<b>Skin contact</b>	No data available.
<b>Ingestion</b>	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
RED IRON OXIDE 1309-37-1	> 10000 mg/kg ( Rat )	-	-

GLYCOL MONOLAUTYL ETHER 111-76-2	= 470 mg/kg ( Rat )	= 435 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h = 486 ppm ( Rat ) 4 h
MINERAL OIL 8042-47-5	> 5000 mg/kg ( Rat )	-	-
AMMONIUM HYDROXIDE 1336-21-6	= 350 mg/kg ( Rat )	-	-

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity**

Chemical Name	ACGIH	IARC	NTP	OSHA
RED IRON OXIDE 1309-37-1	-	Group 3	-	-
GLYCOL MONOLAUTYL ETHER 111-76-2	A3	Group 3	-	-

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 3,289.10 mg/kg

**ATEmix (dermal)** 3,974.20 mg/kg

**ATEmix (inhalation-dust/mist)** 13.70 mg/l

**ATEmix (inhalation-vapor)** 19.8703 mg/l

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Harmful to aquatic life with long lasting effects

0.67 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
RED IRON OXIDE 1309-37-1	-	100000: 96 h Danio rerio mg/L LC50 static	-
GLYCOL MONOLAUTYL ETHER 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
MINERAL OIL 8042-47-5	-	10000: 96 h Lepomis macrochirus mg/L LC50	-
AMMONIUM HYDROXIDE 1336-21-6	-	8.2: 96 h Pimephales promelas mg/L LC50	0.66: 48 h Daphnia pulex mg/L EC50 0.66: 48 h water flea mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
---------------	-----------------------

GLYCOL MONOLAUTYL ETHER 111-76-2	0.81
MINERAL OIL 8042-47-5	6

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

**US EPA Waste Number** Not applicable

Chemical Name	California Hazardous Waste Status
AMMONIUM HYDROXIDE 1336-21-6	Toxic Corrosive

**14. TRANSPORT INFORMATION**

**DOT** Not regulated

**UN/ID no.** None

**Proper shipping name** Not regulated

**Hazard Class** None

**Packing Group** None

**Special Provisions** None

**IATA** Not regulated

**UN/ID no.** None

**Proper shipping name** Not regulated

**Hazard Class** None

**Packing Group** None

**Special Provisions** None

**IMDG** Not regulated

**UN/ID no.** None

**Proper shipping name** Not regulated

**Hazard Class** None

**Packing Group** None

**Special Provisions** None

**Marine pollutant** None

**RID** Not regulated

**UN/ID no.** None

**Proper shipping name** Not regulated

**Hazard Class** None

**Packing Group** None

**Special Provisions** None

<b>ADR</b>	Not regulated
<b>UN/ID no.</b>	None
<b>Proper shipping name</b>	Not regulated
<b>Hazard Class</b>	None
<b>Packing Group</b>	None
<b>Special Provisions</b>	None

## 15. REGULATORY INFORMATION

### International Inventories

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies

All ingredients are on the inventory or are exempt from listing.

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
GLYCOL MONOLAUTYL ETHER - 111-76-2	1.0
AMMONIUM HYDROXIDE - 1336-21-6	1.0

#### SARA 311/312 Hazard Categories

<b>Acute health hazard</b>	-
<b>Chronic Health Hazard</b>	-
<b>Fire hazard</b>	-
<b>Sudden release of pressure hazard</b>	-
<b>Reactive Hazard</b>	-

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	-	X

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
---------------	--------------------------	----------------	--------------------------



AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ
---------------------------------	---------	---	---

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
MUSCOVITE MICA 12001-26-2	X	X	X
RED IRON OXIDE 1309-37-1	X	X	X
GLYCOL MONOLAUTYL ETHER 111-76-2	X	X	X
AMMONIUM HYDROXIDE 1336-21-6	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

<b>16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION</b>
--

<b><u>NFPA</u></b>	Health hazards -	Flammability -	Instability -	Physical and Chemical Properties -
<b><u>HMIS</u></b>	Health hazards -	Flammability -	Physical hazards -	Personal protection -

Prepared By SDS coordinator  
 Issue Date 09-Jul-2015  
 Revision Date 08-Aug-2022  
 Revision Note

No information available

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**