

SAFETY DATA SHEET

Issue Date 09-Jul-2015

Revision Date 30-Aug-2022

Version 1

1. IDENTIFICATION		
Product identifier		
Product Name	Self Sealer 622	
Other means of identification		
Product Code	MS-622	
UN/ID no.	None	
Synonyms	None	
Recommended use of the chem	ical and restrictions on use	
Recommended Use	Sealant.	
Uses advised against	None known	
Details of the supplier of the saf	fety data sheet	
Manufacturer Address		
Hernon Manufacturing Inc.		
121 Tech Drive		
Sanford, FL 32771		
800-527-0004		
Emergency telephone number		
Company Phone Number	407-322-4000	
Emergency Telephone	Chemtel 800-255-3924	

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage May cause an allergic skin reaction Suspected of causing cancer Suspected of damaging fertility or the unborn child Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection Do not eat, drink or smoke when using this product

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed May be harmful in contact with skin. Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
POLYMER	MIXTURE	10 - 30	*
TITANIUM DIOXIDE	13463-67-7	7 - 13	*
MUSCOVITE MICA	12001-26-2	7 - 13	*
GLYCOL MONOLAUTYL ETHER	111-76-2	3 - 7	*
MINERAL OIL	8042-47-5	0.1 - 1	*
AMMONIUM HYDROXIDE	1336-21-6	0.1 - 1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.	
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray (fog). Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products At flame temperatures, traces of toxic fluorides and hydrogen cyanide may be formed.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Scrape up as much material as possible. Clean residue with soap and water. Store in a closed container until ready for disposal.
7. HANDLING AND STORAGE	
Precautions for safe handling	

 Advice on safe handling
 Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.

 Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep at temperatures between 46°F and 82°F (8°C and 28°C).
Incompatible materials	Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
MUSCOVITE MICA 12001-26-2	TWA: 3 mg/m ³ respirable particulate matter	(vacated) TWA: 3 mg/m ³ respirable dust <1% Crystalline silica TWA: 20 mppcf <1% Crystalline silica	IDLH: 1500 mg/m ³ TWA: 3 mg/m ³ containing <1% Quartz respirable dust
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ CIB 63 fine TWA: 0.3 mg/m ³ CIB 63 ultrafine, including engineered nanoscale
GLYCOL MONOLAUTYL ETHER 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing. Use rubber or plastic gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Dispersion		
Appearance	No information available	Odor	Mild

Color	Charcoal	Odor threshold	No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient	Values8-10No information available>= 100 °C / 212 °FNo information availableNo information availableNo information availableNo information availableNo information availableNo information available< 20 mm @20 °C< 11.11Aqueous solutionNo information availableNo information available	Remarks • Method	
Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No information available No information available No information available No information available No information available No information available		
Other Information Softening point Molecular weight VOC Content (%) Density Bulk density	No information available No information available No information available No information available No information available		

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong acids. Strong bases.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

No data available.

Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE 13463-67-7	> 10000 mg/kg (Rat)	-	-
GLYCOL MONOLAUTYL ETHER 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat)4 h = 486 ppm (Rat)4 h
MINERAL OIL 8042-47-5	> 5000 mg/kg (Rat)	-	-
AMMONIUM HYDROXIDE 1336-21-6	= 350 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity		on available. on available.		
Chemical Name	ACGIH	IARC	NTP	OSHA
TITANIUM DIOXIDE	-	Group 2B	-	Х
13463-67-7	10	0		
GLYCOL MONOLAUTYL ETHER 111-76-2	A3	Group 3	-	-
Reproductive toxicity	No informati	on available.		
STOT - single exposure	No informati	on available.		
STOT - repeated exposure	No informati	on available.		
Aspiration hazard	No informati	on available.		

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 3.401.70 ma/kg

ATEMIX (oral)	3,401.70	mg/kg
ATEmix (dermal)	4,101.60	mg/kg
ATEmix (inhalation-vapor)	20.5072	mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
GLYCOL MONOLAUTYL ETHER 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50
		2950: 96 h Lepomis macrochirus mg/L LC50	
MINERAL OIL 8042-47-5	-	10000: 96 h Lepomis macrochirus mg/L LC50	-
AMMONIUM HYDROXIDE 1336-21-6	-	8.2: 96 h Pimephales promelas mg/L LC50	0.66: 48 h Daphnia pulex mg/L EC50 0.66: 48 h water flea mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
GLYCOL MONOLAUTYL ETHER	0.81

111-76-2	
MINERAL OIL	6
8042-47-5	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

Chemical Name	California Hazardous Waste Status
AMMONIUM HYDROXIDE	Toxic
1336-21-6	Corrosive

DOT	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
IATA	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
IMDG	Not regulated
UN/ID no.	None
Proper shipping name	Not regulated
Hazard Class	None
Packing Group	None
Special Provisions	None
Marine pollutant	None

15. REGULATORY INFORMATION

International Inventories TSCA Complies DSL/NDSL Complies **EINECS/ELINCS** Complies ENCS Complies IECSC Complies KECL Complies Complies PICCS Complies AICS

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
GLYCOL MONOLAUTYL ETHER - 111-76-2	1.0
AMMONIUM HYDROXIDE - 1336-21-6	1.0

SARA 311/312 Hazard Categories

Acute health hazard	-
Chronic Health Hazard	-
Fire hazard	-
Sudden release of pressure hazard	-
Reactive Hazard	-

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
AMMONIUM HYDROXIDE 1336-21-6	1000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
AMMONIUM HYDROXIDE	1000 lb	-	RQ 1000 lb final RQ
1336-21-6			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
TITANIUM DIOXIDE - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
MUSCOVITE MICA 12001-26-2	Х	X	Х
TITANIUM DIOXIDE 13463-67-7	Х	X	Х
GLYCOL MONOLAUTYL ETHER 111-76-2	Х	X	Х
AMMONIUM HYDROXIDE	Х	X	Х

1336-21-6

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards -	Flammability -	Instability -	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards -	Flammability -	Physical hazards -	Personal protection -
Prepared By Issue Date	SDS coordinator			
Revision Date	09-Jul-2015 30-Aug-2022			

No information available

Revision Date Revision Note

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet