

# SAFETY DATA SHEET

Issue Date 30-Jun-2015 Revision Date 25-Feb-2021 Version 1

## 1. IDENTIFICATION

Product identifier

Product Name Cylinlock 842

Other means of identification

Product Code MS-842 UN/ID no. None Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Retaining Compound.

Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

### 2. HAZARDS IDENTIFICATION

### Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

#### **Emergency Overview**

# Warning

#### **Hazard statements**

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure



Appearance No information available Physical state Liquid Odor Mild

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

May be harmful if swallowed May be harmful in contact with skin.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
ETHOXYLATED BISPEHNOL A	41637-38-1	60 - 100	*
DIMETHACRYLATE			
MALEIMIDE RESIN	3006-93-7	5 - 10	*
HYDROXYETHYL METHACRYLATE	868-77-9	1 - 5	*
CUMENE HYDROPEROXIDE	80-15-9	1 - 5	*
MALEIC ACID	110-16-7	0.1 - 1	*
ACETYL 2 PHENYLHYDRAZINE	114-83-0	0.1 - 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

#### Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional ecological information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Store in a closed container until ready for disposal.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

MS-842 - Cylinlock 842 Revision Date 25-Feb-2021

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 46°F and 82°F (8°C and 28°C).

**Incompatible materials** Reducing agent. Strong oxidizers.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region-specific regulatory bodies.

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Liquid

AppearanceNo information availableOdorMild

Color Green Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Does not apply

Melting point / freezing pointNo information availableBoiling point / boiling range> 149 °C / 300 °FFlash point> 93.3 °C / 200 °FEvaporation rateNo information availableFlammability (solid, gas)No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available

Relative density 1.13

Water solubility Slightly soluble

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
No information available

Oxidizing properties No information available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Incompatible materials.

#### Incompatible materials

Reducing agent. Strong oxidizers.

# **Hazardous Decomposition Products**

Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
MALEIMIDE RESIN 3006-93-7	= 1370 mg/kg (Rat)	-	= 55 mg/m <sup>3</sup> (Rat) 4 h
HYDROXYETHYL METHACRYLATE 868-77-9	= 5050 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
CUMENE HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg ( Rabbit )	= 220 ppm (Rat) 4 h
MALEIC ACID 110-16-7	= 708 mg/kg (Rat)	= 1560 mg/kg ( Rabbit )	> 720 mg/m³ (Rat) 1 h

### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

\_\_\_\_\_

CarcinogenicityNo information available.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

**ATEmix (oral)** 2,260.20 mg/kg **ATEmix (dermal)** 2,475.20 mg/kg

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HYDROXYETHYL	=	213 - 242: 96 h Pimephales	-
METHACRYLATE		promelas mg/L LC50 flow-through	
868-77-9		227: 96 h Pimephales promelas	
		mg/L LC50	
CUMENE HYDROPEROXIDE	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
80-15-9		mg/L LC50 static	
MALEIC ACID	-	5: 96 h Pimephales promelas mg/L	250 - 400: 48 h Daphnia magna
110-16-7		LC50 static	mg/L EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Partition coefficient
HYDROXYETHYL METHACRYLATE	0.47
868-77-9	
MALEIC ACID	-0.79 - 0.32
110-16-7	

Other adverse effects No information available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
CUMENE	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

Chemical Name	California Hazardous Waste Status
CUMENE HYDROPEROXIDE	Toxic
80-15-9	Ignitable

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard ClassNonePacking GroupNoneSpecial ProvisionsNone

IATA Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard ClassNonePacking GroupNoneSpecial ProvisionsNone

IMDG Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard ClassNonePacking GroupNoneSpecial ProvisionsNone

### 15. REGULATORY INFORMATION

### International Inventories

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
CUMENE HYDROPEROXIDE - 80-15-9	1.0	

#### SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard -

\_\_\_\_\_

Sudden release of pressure hazard Reactive Hazard -

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
MALEIC ACID	5000 lb	-	-	X
110-16-7				

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
CUMENE HYDROPEROXIDE	10 lb	-	RQ 10 lb final RQ
80-15-9			RQ 4.54 kg final RQ
MALEIC ACID	5000 lb	=	RQ 5000 lb final RQ
110-16-7			RQ 2270 kg final RQ

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
CUMENE HYDROPEROXIDE	X	X	X
80-15-9			
MALEIC ACID	X	X	X
110-16-7			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical

Properties -

<u>HMIS</u> Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date 30-Jun-2015 Revision Date 25-Feb-2021

Revision Note No information available

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**