

Issue Date 21-May-2015

Revision Date 30-Oct-2017

Version 1

## 1. IDENTIFICATION

### Product identifier

Product Name Dripstop 943

### Other means of identification

Product Code MS-943  
UN/ID no. UN 3082  
Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended Use Pipe Sealant.  
Uses advised against None known

### Details of the supplier of the safety data sheet

Manufacturer Address  
Hernon Manufacturing Inc.  
121 Tech Drive  
Sanford, FL 32771  
800-527-0004

### Emergency telephone number

Company Phone Number 407-322-4000  
Emergency Telephone Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                   |             |
|-----------------------------------|-------------|
| Skin corrosion/irritation         | Category 2  |
| Serious eye damage/eye irritation | Category 2A |
| Reproductive toxicity             | Category 1B |
| Flammable liquids                 | Category 4  |

### Label elements

#### Emergency Overview

Danger

#### Hazard statements

Causes skin irritation  
Causes serious eye irritation  
May damage fertility or the unborn child  
Combustible liquid

**Appearance** No information available**Physical state** Liquid**Odor** Mild**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation occurs: Get medical advice/attention  
 Take off contaminated clothing and wash before reuse

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

Toxic to aquatic life with long lasting effects  
 Very toxic to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

| Chemical Name                      | CAS No.    | Weight-% | Trade Secret |
|------------------------------------|------------|----------|--------------|
| POLYETHYLENE GLYCOL DIMETHACRYLATE | 25852-47-5 | 30 - 60  | *            |
| DIBUTYL PHTHALATE                  | 84-74-2    | 30 - 60  | *            |
| CELLULOSE ACETATE BUTRATE          | 9004-36-8  | 1 - 5    | *            |
| Cumene Hydroperoxide               | 80-15-9    | 0.1 - 1  | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Description of first aid measures****Eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.  
 Consult a physician.

**Skin contact**

Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.

|                   |  |
|-------------------|--|
| <b>Inhalation</b> | Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. |
| <b>Ingestion</b>  | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.            |

**Most important symptoms and effects, both acute and delayed**

|                 |                                   |
|-----------------|-----------------------------------|
| <b>Symptoms</b> | May cause allergic skin reaction. |
|-----------------|-----------------------------------|

**Indication of any immediate medical attention and special treatment needed**

|                           |                        |
|---------------------------|------------------------|
| <b>Note to physicians</b> | Treat symptomatically. |
|---------------------------|------------------------|

**5. FIRE-FIGHTING MEASURES****Suitable extinguishing media**

Use CO2, dry chemical, or foam.

**Unsuitable extinguishing media** No information available.

**Specific hazards arising from the chemical**

No information available.

**Hazardous combustion products** Trace amounts of toxic fumes may be released on incineration.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**For emergency responders** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Soak up with inert absorbent material. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep at temperatures between 7 and 29 °C.

**Incompatible materials** Strong oxidizing agents. Strong alkalis. Strong acids. Chlorinated compounds. Metals.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name                | ACGIH TLV                | OSHA PEL   | NIOSH IDLH   |
|------------------------------|--------------------------|--|--|
| DIBUTYL PHTHALATE<br>84-74-2 | TWA: 5 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup><br>(vacated) TWA: 5 mg/m <sup>3</sup> | IDLH: 4000 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup> |

### Appropriate engineering controls

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Use rubber or plastic gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                       |                          |                       |                          |
|-----------------------|--------------------------|-----------------------|--------------------------|
| <b>Physical state</b> | Liquid                   | <b>Odor</b>           | Mild                     |
| <b>Appearance</b>     | No information available | <b>Odor threshold</b> | No information available |
| <b>Color</b>          | Yellow                   |                       |                          |

| <u>Property</u>                       | <u>Values</u>            | <u>Remarks • Method</u> |
|---------------------------------------|--------------------------|-------------------------|
| <b>pH</b>                             | Does not apply           |                         |
| <b>Melting point / freezing point</b> | No information available |                         |
| <b>Boiling point / boiling range</b>  | > 149 °C / 300 °F        |                         |
| <b>Flash point</b>                    | > 93 °C / 200 °F         |                         |
| <b>Evaporation rate</b>               | No information available |                         |
| <b>Flammability (solid, gas)</b>      | No information available |                         |
| <b>Flammability Limit in Air</b>      |                          |                         |
| <b>Upper flammability limit:</b>      | No information available |                         |
| <b>Lower flammability limit:</b>      | No information available |                         |

|                              |                          |
|------------------------------|--------------------------|
| Vapor pressure               | < 5 mm @ 80°F            |
| Vapor density                | No information available |
| Relative density             | 1.06                     |
| Water solubility             | Slightly soluble         |
| Solubility in other solvents | No information available |
| Partition coefficient        | No information available |
| Autoignition temperature     | No information available |
| Decomposition temperature    | No information available |
| Kinematic viscosity          | No information available |
| Dynamic viscosity            | No information available |
| Explosive properties         | No information available |
| Oxidizing properties         | No information available |

**Other Information**

|                  |                          |
|------------------|--------------------------|
| Softening point  | No information available |
| Molecular weight | No information available |
| VOC Content (%)  | No information available |
| Density          | No information available |
| Bulk density     | No information available |

**10. STABILITY AND REACTIVITY****Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Incompatible materials.

**Incompatible materials**

Strong oxidizing agents. Strong alkalis. Strong acids. Chlorinated compounds. Metals.

**Hazardous Decomposition Products**

Carbon oxides. Irritating organic vapors.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

|                     |                    |
|---------------------|--------------------|
| <b>Inhalation</b>   | No data available. |
| <b>Eye contact</b>  | No data available. |
| <b>Skin contact</b> | No data available. |
| <b>Ingestion</b>    | No data available. |

| Chemical Name                   | Oral LD50            | Dermal LD50              | Inhalation LC50          |
|---------------------------------|----------------------|--------------------------|--------------------------|
| DIBUTYL PHTHALATE<br>84-74-2    | = 7499 mg/kg ( Rat ) | > 20 mL/kg ( Rabbit )    | > 15.68 mg/L ( Rat ) 4 h |
| Cumene Hydroperoxide<br>80-15-9 | = 382 mg/kg ( Rat )  | = 0.126 mL/kg ( Rabbit ) | = 220 ppm ( Rat ) 4 h    |

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** No information available.  
**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration hazard** No information available.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document.

**ATEmix (oral)** 7,802.00 mg/kg  
**ATEmix (dermal)** 21,767.20 mg/kg  
**ATEmix (inhalation-dust/mist)** 16.33 mg/l

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

| Chemical Name                   | Algae/aquatic plants   | Fish   | Crustacea   |
|---------------------------------|--|--|---|
| DIBUTYL PHTHALATE<br>84-74-2    | 1.2: 72 h Desmodesmus subspicatus mg/L EC50 0.4: 96 h Pseudokirchneriella subcapitata mg/L EC50 static | 0.31 - 5.45: 96 h Pimephales promelas mg/L LC50 static 0.42 - 1.28: 96 h Lepomis macrochirus mg/L LC50 static 0.71 - 1.2: 96 h Pimephales promelas mg/L LC50 flow-through 1.24 - 5.3: 96 h Oncorhynchus mykiss mg/L LC50 static 1.38 - 1.74: 96 h Lepomis macrochirus mg/L LC50 flow-through 1.24: 96 h Oncorhynchus mykiss mg/L LC50 flow-through | 2.99: 48 h Daphnia magna mg/L EC50 Static 3.4: 48 h Daphnia magna mg/L EC50 |
| Cumene Hydroperoxide<br>80-15-9 | -  | 3.9: 96 h Oncorhynchus mykiss mg/L LC50 static   | 7: 24 h Daphnia magna mg/L EC50   |
| Insoluble Saccharin<br>81-07-2  | -  | 18300: 96 h Pimephales promelas mg/L LC50  | -   |
| METHANOL<br>67-56-1             | -  | 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 28200: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static   | -   |

**Persistence and degradability**

No information available.

**Bioaccumulation**

| Chemical Name                | Partition coefficient |
|------------------------------|-----------------------|
| DIBUTYL PHTHALATE<br>84-74-2 | 5.38                  |

**Other adverse effects** No information available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

| Chemical Name                   | RCRA | RCRA - Basis for Listing          | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------------------------|------|-----------------------------------|------------------------|------------------------|
| DIBUTYL PHTHALATE<br>84-74-2    | U069 | Included in waste stream:<br>F039 | -                      | U069                   |
| Cumene Hydroperoxide<br>80-15-9 | -    | -                                 | -                      | U096                   |
| METHANOL<br>67-56-1             | -    | Included in waste stream:<br>F039 | -                      | U154                   |
| NAPHTHOQUINONE<br>130-15-4      | U166 | Included in waste stream:<br>K024 | -                      | U166                   |

| Chemical Name                   | California Hazardous Waste Status |
|---------------------------------|-----------------------------------|
| Cumene Hydroperoxide<br>80-15-9 | Toxic<br>Ignitable                |

### 14. TRANSPORT INFORMATION

#### DOT

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Dibutyl Phthalate)  
**Hazard Class** 9  
**Packing Group** III  
**Special Provisions** 8, 146, 335, IB3, T4, TP1, TP29  
**Note** Not regulated for ground transport

#### IATA

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Dibutyl Phthalate)  
**Hazard Class** 9  
**Packing Group** III  
**Special Provisions** None

#### IMDG

**UN/ID no.** UN 3082  
**Proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Dibutyl Phthalate)  
**Hazard Class** 9  
**Packing Group** III  
**Special Provisions** None  
**Marine pollutant** Yes

### 15. REGULATORY INFORMATION

#### International Inventories

**TSCA** Complies  
**DSL/NDL** Complies  
**EINECS/ELINCS** Complies  
**ENCS** Complies  
**IECSC** Complies  
**KECL** Complies  
**PICCS** Complies  
**AICS** Complies

All ingredients are on the inventory or are exempt from listing.

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                  | SARA 313 - Threshold Values % |
|--------------------------------|-------------------------------|
| DIBUTYL PHTHALATE - 84-74-2    | 1.0                           |
| Cumene Hydroperoxide - 80-15-9 | 1.0                           |

**SARA 311/312 Hazard Categories**

|                                   |     |
|-----------------------------------|-----|
| Acute health hazard               | No  |
| Chronic Health Hazard             | Yes |
| Fire hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name                | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| DIBUTYL PHTHALATE<br>84-74-2 | 10 lb                       | X                      | X                         | X                          |

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name                   | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                 |
|---------------------------------|--------------------------|----------------|--|
| DIBUTYL PHTHALATE<br>84-74-2    | 10 lb                    | -              | RQ 10 lb final RQ<br>RQ 4.54 kg final RQ |
| Cumene Hydroperoxide<br>80-15-9 | 10 lb                    | -              | RQ 10 lb final RQ<br>RQ 4.54 kg final RQ |

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name               | California Proposition 65                                 |
|-----------------------------|---|
| DIBUTYL PHTHALATE - 84-74-2 | Developmental<br>Female Reproductive<br>Male Reproductive |
| METHANOL - 67-56-1          | Developmental   |



