

Issue Date 22-Jun-2015

Revision Date 08-Dec-2022

Version 1

1. IDENTIFICATION

Product identifier

Product Name Primer 49

Other means of identification

Product Code MS-049
UN/ID no. UN 1090
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Primers.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address
Hernon Manufacturing Inc.
121 Tech Drive
Sanford, FL 32771
800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000
Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed
Causes serious eye irritation
May cause an allergic skin reaction
May cause cancer
May cause respiratory irritation
May cause drowsiness or dizziness
May cause damage to organs through prolonged or repeated exposure

**Appearance** No Information Available**Physical state** Liquid**Odor** Acetone**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Contaminated work clothing should not be allowed out of the workplace
 Wear protective gloves
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 Specific treatment (see .? on this label)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Harmful to aquatic life with long lasting effects Harmful to aquatic life

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
ACETONE	67-64-1	60 - 100	*
ISOPROPYL ALCOHOL	67-63-0	10 - 30	*
N,N-DIMETHYL-P-TOLUIDINE	99-97-8	1 - 5	*
MERCAPATOBENZOTHIOL	149-30-4	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms	No Information Available.
-----------------	---------------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO₂, dry chemical, or foam.

Unsuitable extinguishing media None.

Specific hazards arising from the chemical

Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may travel to source of ignition and flash back.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NO_x). Irritating organic vapors.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks and open flame.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. See section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Store in a closed container until ready for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep at temperatures between 46°F and 82°F (8°C and 28°C). Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).
Incompatible materials	Strong oxidizer. Peroxides.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACETONE 67-64-1	STEL: 500 ppm TWA: 250 ppm	TWA: 1000 ppm TWA: 2400 mg/m ³ (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m ³ (vacated) STEL: 2400 mg/m ³ The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors. (vacated) STEL: 1000 ppm	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m ³
ISOPROPYL ALCOHOL 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³

Appropriate engineering controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas.
-----------------------------	--

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing. Use rubber or plastic gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Acetone
Appearance	No Information Available	Odor threshold	No Information Available
Color	Amber		

Property	Values	Remarks • Method
pH	Does not apply	
Melting point / freezing point	No Information Available	
Boiling point / boiling range	No Information Available	
Flash point	-20 °C / -4 °F	
Evaporation rate	No Information Available	
Flammability (solid, gas)	No Information Available	
Flammability Limit in Air		
Upper flammability limit:	13% Acetone, 12.7% Isopropyl Alcohol	
Lower flammability limit:	2.5% Acetone, 2.0% Isopropyl Alcohol	
Vapor pressure	172 mmHg @ 20°C	
Vapor density	2.0	
Relative density	0.797	
Water solubility	Miscible in water	
Solubility in other solvents	No Information Available	
Partition coefficient	No Information Available	
Autoignition temperature	No Information Available	
Decomposition temperature	No Information Available	
Kinematic viscosity	No Information Available	
Dynamic viscosity	No Information Available	
Explosive properties	No Information Available	
Oxidizing properties	No Information Available	

Other Information

Softening point	No Information Available
Molecular weight	No Information Available
VOC Content (%)	100 %
Density	No Information Available
Bulk density	No Information Available

10. STABILITY AND REACTIVITY

Reactivity

<1.0%

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight. Incompatible materials.

Incompatible materials

Strong oxidizer. Peroxides.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	<1.0%.
Eye contact	<1.0%.
Skin contact	<1.0%.
Ingestion	<1.0%.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ACETONE 67-64-1	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m ³ (Rat) 8 h
ISOPROPYL ALCOHOL 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	= 1650 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 1400 mg/m ³ (Rat) 4 h
MERCAPATOBENZOTHIOL 149-30-4	= 100 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	> 0.7 mg/L (Rat) 7 h

Information on toxicological effects

Symptoms No Information Available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information Available.

Germ cell mutagenicity No Information Available.

Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
ISOPROPYL ALCOHOL 67-63-0	Viscous	Group 3	Viscous	X
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	Viscous	Group 2B	Viscous	X
MERCAPATOBENZOTHIOL 149-30-4	Viscous	Group 2A	Viscous	X

Reproductive toxicity No Information Available.

STOT - single exposure No Information Available.

STOT - repeated exposure No Information Available.

Aspiration hazard No Information Available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 1,794.90 mg/kg

ATEmix (dermal) 6,487.85 mg/kg

ATEmix (inhalation-dust/mist) 17.0813 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
ACETONE 67-64-1	Viscous	4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50	10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50
ISOPROPYL ALCOHOL 67-63-0	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus subspicatus mg/L EC50	11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50	13299: 48 h Daphnia magna mg/L EC50
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	Viscous	42 - 50.5: 96 h Pimephales promelas mg/L LC50 flow-through	Viscous
MERCAPATOBENZOTHIOLE 149-30-4	0.25: 96 h Pseudokirchneriella subcapitata mg/L EC50	1.32 - 2.73: 96 h Lepomis macrochirus mg/L LC50 static 0.42: 96 h Oncorhynchus mykiss mg/L LC50 static 11: 96 h Pimephales promelas mg/L LC50 static	4.1: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No Information Available.

Bioaccumulation

No Information Available.

Chemical Name	Partition coefficient
ACETONE 67-64-1	-0.24
ISOPROPYL ALCOHOL 67-63-0	0.05
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	2.81
MERCAPATOBENZOTHIOLE 149-30-4	2.5

Other adverse effects

No Information Available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

US EPA Waste Number

D001

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACETONE 67-64-1	Viscous	Included in waste stream: F039	Viscous	U002

Chemical Name	California Hazardous Waste Status
ACETONE 67-64-1	Ignitable
ISOPROPYL ALCOHOL 67-63-0	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT

UN/ID no.	UN 1090
Proper shipping name	Acetone
Hazard Class	3
Packing Group	II
Special Provisions	Consumer Commodity ORM-D (Not more than 1 Liter)

IATA

UN/ID no.	UN 1090
Proper shipping name	Acetone
Hazard Class	3
Packing Group	II
Special Provisions	(Not more than 500 ml), May Qualify as Consumer Commodity

IMDG

UN/ID no.	UN 1090
Proper shipping name	Acetone
Hazard Class	3
Packing Group	II
Special Provisions	Limited Quantity (Not more than 1 L)

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ISOPROPYL ALCOHOL - 67-63-0	1.0
MERCAPATOBENZOTHIOL - 149-30-4	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Viscous
Chronic Health Hazard	Viscous
Fire hazard	Viscous
Sudden release of pressure hazard	Viscous
Reactive Hazard	Viscous

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACETONE 67-64-1	5000 lb	Viscous	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
N,N-DIMETHYL-P-TOLUIDINE - 99-97-8	Carcinogen
MERCAPATOBENZOTHIOL - 149-30-4	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACETONE 67-64-1	X	X	X
ISOPROPYL ALCOHOL 67-63-0	X	X	X
MERCAPATOBENZOTHIOL 149-30-4	X	Viscous	Viscous

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards Viscous	Flammability Viscous	Instability Viscous	Physical and Chemical Properties Viscous
HMIS	Health hazards Viscous	Flammability Viscous	Physical hazards Viscous	Personal protection Viscous

Prepared By SDS coordinator
 Issue Date 22-Jun-2015
 Revision Date 08-Dec-2022
 Revision Note

No Information Available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

