

# SAFETY DATA SHEET

Issue Date 25-Mar-2015 Revision Date 15-Mar-2021 Version 1

# 1. IDENTIFICATION

Product identifier

Product Name Blank Ammunition Sealant 53162HV

Other means of identification

Product Code MS-53162HV

UN/ID no. None Synonyms None

Recommended use of the chemical and restrictions on use

**Recommended Use**UV Anaerobic Adhesive.

Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive

Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

### 2. HAZARDS IDENTIFICATION

# Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Reproductive toxicity	Category 1B
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 4

### Label elements

#### **Emergency Overview**

### Danger

### **Hazard statements**

Causes severe skin burns and eye damage May cause an allergic skin reaction May damage fertility or the unborn child May cause respiratory irritation Combustible liquid



Appearance No information available Physical state Liquid Odor Sharp

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

# Other Information

May be harmful if swallowed

May be harmful in contact with skin

Very toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Aliphatic Urethane Acrylate	MIXTURE	30 - 60	*
ISOBORNYL ACRYLATE	5888-33-5	15 - 40	*
HYDROXYETHYL METHACRYLATE	868-77-9	5 - 10	*
ACRYLIC ACID	79-10-7	3 - 7	*
Photoinitiator	162881-26-7	0.1 - 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

MS-53162HV - Blank Ammunition Sealant 53162HV

**Description of first aid measures** 

**Eye contact**Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

Revision Date 15-Mar-2021

clothing before reuse.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable extinguishing media None.

#### Specific hazards arising from the chemical

No information available.

Hazardous combustion products Irritating organic vapors.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

confined areas.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. See Section 12 for

additional ecological information.

#### Methods and material for containment and cleaning up

MS-53162HV - Blank Ammunition Sealant 53162HV

Revision Date 15-Mar-2021

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Store in a closed container until ready for disposal.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep at temperatures between 7 and 29 °C.

Incompatible materials Peroxides. Metals. Alkali. Copper. Free radical initiators.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
		(vacated) S*	_

#### Appropriate engineering controls

**Engineering Controls** Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing. Wear protective nitrile rubber gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state

**Appearance** No information available Odor

Color Clear - Light yellow **Odor threshold** No information available

**Property** Values Remarks • Method Does not apply

Melting point / freezing point

No information available Boiling point / boiling range > 149 °C / 300 °F 93 °C / 200 °F Flash point

Evaporation rate No information available

No information available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit:8.0%Acrylic AcidLower flammability limit:2.0%Acrylic AcidVapor pressureNo information availableVapor densityNo information available

Relative density 1.01 Water solubility Low

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

#### **Other Information**

Softening point
Molecular weight
VOC Content (%)
Density
No information available

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

### **Conditions to avoid**

Incompatible materials.

#### Incompatible materials

Peroxides. Metals. Alkali. Copper. Free radical initiators.

#### **Hazardous Decomposition Products**

Carbon oxides. Irritating organic vapors.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information No data available

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ISOBORNYL ACRYLATE 5888-33-5	= 4890 mg/kg (Rat)	> 5 g/kg (Rabbit)	-

HYDROXYETHYL METHACRYLATE 868-77-9	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
ACRYLIC ACID	$= 33500 \mu g/kg  (Rat) = 193 mg/kg$	= 295 mg/kg (Rabbit) = 280 μL/kg	= 3.6 mg/L (Rat) 4 h = 11.1 mg/L
79-10-7	(Rat)	( Rabbit )	( Rat ) 1 h

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available. **Germ cell mutagenicity** No information available.

Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
ACRYLIC ACID	-	Group 3	-	-
79-10-7				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

**ATEmix (oral)** 2,701.00 mg/kg **ATEmix (dermal)** 3,484.00 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HYDROXYETHYL	=	213 - 242: 96 h Pimephales	=
METHACRYLATE		promelas mg/L LC50 flow-through	
868-77-9		227: 96 h Pimephales promelas	
		mg/L LC50	
ACRYLIC ACID	0.04: 72 h Desmodesmus	222: 96 h Brachydanio rerio mg/L	270: 24 h Daphnia magna mg/L
79-10-7	subspicatus mg/L EC50 0.17: 96 h	LC50 semi-static	LC50 Static 95: 48 h Daphnia
	Pseudokirchneriella subcapitata		magna mg/L EC50
	mg/L EC50		

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Partition coefficient
HYDROXYETHYL METHACRYLATE 868-77-9	0.47
ACRYLIC ACID 79-10-7	0.38 - 0.46

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID	=	-	=	U008
79-10-7				

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard ClassNonePacking GroupNoneSpecial ProvisionsNone

IATA Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard ClassNonePacking GroupNoneSpecial ProvisionsNone

<u>IMDG</u> Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard ClassNonePacking GroupNoneSpecial ProvisionsNone

# 15. REGULATORY INFORMATION

## International Inventories

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
ACRYLIC ACID - 79-10-7	1.0

### SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard -

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	=	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ

#### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID	X	X	X
79-10-7			

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical

Properties -

<u>HMIS</u> Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date 25-Mar-2015 Revision Date 15-Mar-2021

Revision Note No information available

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**