

SAFETY DATA SHEET

Issue Date 24-Apr-2015 Revision Date 17-Aug-2022 Version 1

1. IDENTIFICATION

Product identifier

Product Name Supertacker 358

Other means of identification

Product Code MS-358 UN/ID no. UN1897 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Adhesives.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address
Hernon Manufacturing Inc.
121 Tech Drive
Sanford, FL 32771
800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Carcinogenicity	Category 1B

Label elements

Emergency Overview

Danger

Hazard statements

May cause an allergic skin reaction May cause cancer



Appearance No information available

Physical state Liquid

Odor Ether

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed Causes mild skin irritation

Toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
TETRACHLOROETHYLENE	127-18-4	60 - 100	*
Epoxy Resin	25085-99-8	1 - 5	*
CARBON BLACK	1333-86-4	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Irritating organic vapors.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

confined areas.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. See section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSmall leaks: Wipe up, or soak up immediately with inert material. Remove to outdoors.

Large spills: Evacuate area; contain liquid; transfer to closed metal containers; keep out of

water supply.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 46°F and 82°F (8°C and 28°C).

Incompatible materials Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

MS-358 - Supertacker 358 Revision Date 17-Aug-2022

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
TETRACHLOROETHYLENE	STEL: 100 ppm	TWA: 100 ppm	IDLH: 150 ppm
127-18-4	TWA: 25 ppm	(vacated) TWA: 25 ppm	
		(vacated) TWA: 170 mg/m ³	
		Ceiling: 200 ppm	
CARBON BLACK	TWA: 3 mg/m ³ inhalable	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m³ Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing. Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Ether

Color Black Odor threshold No information available

Property Values Remarks • Method

pH Does not apply

Melting point / freezing point No information available

Boiling point / boiling range > 121 °C / 250 °F Flash point No information available Evaporation rate Slower than ether

Flammability (solid, gas) No information available

Flammability Limit in Air
Upper flammability limit:

No information available

Lower flammability limit:

Vapor pressure

Vapor density

No information available
13 mm Hg @ 68°C
Heavier than air

Relative density 1.36
Water solubility Negligible

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

Oxidizing properties No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous Decomposition Products

Hydrogen chloride. Carbon dioxide (CO2). Hydrocarbons. Phosgene. Chlorine.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TETRACHLOROETHYLENE 127-18-4	= 2629 mg/kg (Rat)	-	= 27.8 mg/L (Rat)4 h
CARBON BLACK 1333-86-4	> 15400 mg/kg (Rat)	-	> 4.6 mg/m ³ (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available. **Germ cell mutagenicity**No information available.

Carcinogenicity

our on logornoity				
Chemical Name	ACGIH	IARC	NTP	OSHA
TETRACHLOROETHYLENE 127-18-4	A3	Group 2A	Reasonably Anticipated	Х
CARBON BLACK 1333-86-4	A3	Group 2B	-	Х

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 2,743.50 mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
TETRACHLOROETHYLENE	500: 96 h Pseudokirchneriella	11.0 - 15.0: 96 h Lepomis	6.1 - 9.0: 48 h Daphnia magna mg/L
127-18-4	subcapitata mg/L EC50	macrochirus mg/L LC50 static	EC50 Static
		12.4 - 14.4: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		4.73 - 5.27: 96 h Oncorhynchus	
		mykiss mg/L LC50 flow-through	
		8.6 - 13.5: 96 h Pimephales	
		promelas mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Partition coefficient
TETRACHLOROETHYLENE	2.88
127-18-4	

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
TETRACHLOROETHYLENE	U210	Included in waste streams:	0.7 mg/L regulatory level	U210
127-18-4		F001, F002, F024, F025,		
		F039, K016, K019, K020,		
		K073, K116, K150, K151		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
TETRACHLOROETHYLENE 127-18-4	Category I - Volatiles	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those	

	having carbon chain lengths	
	ranging from one to and	
	including five, with varying	
	amounts and positions of	
	chlorine substitution.	

Chemical Name	California Hazardous Waste Status
TETRACHLOROETHYLENE	Toxic
127-18-4	

14. TRANSPORT INFORMATION

DOT

UN/ID no. UN1897

Proper shipping name Tetrachloroethylene mixture

Hazard Class 6.1 **Packing Group** Ш

Special Provisions Limited quantities (1 gallon or less): Consumer commodity ORM-D

IATA

UN/ID no. UN1897

Proper shipping name Tetrachloroethylene mixture

Hazard Class 6.1 **Packing Group** Ш **Special Provisions** None

IMDG

UN/ID no. UN1897

Proper shipping name Tetrachloroethylene mixture

Hazard Class Packing Group Ш **Special Provisions** None

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Revision Date 17-Aug-2022

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
TETRACHLOROETHYLENE - 127-18-4	0.1

SARA 311/312 Hazard Categories

Acute health hazard Chronic Health Hazard Fire hazard Sudden release of pressure hazard Reactive Hazard -

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
TETRACHLOROETHYLENE 127-18-4	-	X	X	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
TETRACHLOROETHYLENE	100 lb	-	RQ 100 lb final RQ
127-18-4	1 lb		RQ 45.4 kg final RQ
			RQ 1 lb final RQ
			RQ 0.454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
TETRACHLOROETHYLENE - 127-18-4	Carcinogen	
CARBON BLACK - 1333-86-4	Carcinogen	

U.S. State Right-to-Know Regulations

Chamical Name	Many Janaan	Massashusatta	Denneulusuis
Chemical Name	New Jersey	Massachusetts	Pennsylvania
TETRACHLOROETHYLENE 127-18-4	X	X	X
CARBON BLACK 1333-86-4	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards - Flammability - Instability - Physical and Chemical Properties -

HMIS Health hazards - Flammability - Physical hazards - Personal protection -

Prepared By SDS coordinator Issue Date 24-Apr-2015 Revision Date 17-Aug-2022

Revision Note No information available

MS-358 - Supertacker 358 Revision Date 17-Aug-2022

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet