

# **SAFETY DATA SHEET**

Issue Date 30-Jun-2015

Revision Date 09-Mar-2021

Version 1

1. IDENTIFICATION					
Product identifier					
Product Name	Cylinlock 42633				
Other means of identification					
Product Code	MS-42633				
UN/ID no.	UN 3082				
Synonyms	None				
Recommended use of the chen	nical and restrictions on use				
Recommended Use	Anaerobic Adhesive.				
Uses advised against	None known				
Details of the supplier of the sa	ifety data sheet				
Manufacturer Address					
Hernon Manufacturing Inc.					
121 Tech Drive					
Sanford, FL 32771					
800-527-0004					
Emergency telephone number					
Company Phone Number	407-322-4000				
Emergency Telephone	Chemtel 800-255-3924				

## 2. HAZARDS IDENTIFICATION

**Classification** 

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

## Label elements

## **Emergency Overview**

# Danger

Hazard statements Harmful if swallowed Causes severe skin burns and eye damage May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure



## Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection Contaminated work clothing should not be allowed out of the workplace

## **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation or rash occurs: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

May be harmful in contact with skin Very toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
ALIPHATIC URETHANE METHACRYLATE	PROPRIETARY	30 - 60	*
HYDROXYETHYL METHACRYLATE	868-77-9	10 - 30	*
ACRYLIC ACID	79-10-7	3 - 7	*
TRIS(2-HYDROXYETHYL) ISOCYANURATE TRIACRYLATE	40220-08-4	3 - 7	*
CUMENE HYDROPEROXIDE	80-15-9	1 - 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

## **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.	
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

# 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.	
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Store in a closed container until ready for disposal.	

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep at temperatures between 46°F and 82°F (8°C and 28°C).

Incompatible materials

Strong oxidizers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m <sup>3</sup>	TWA: 6 mg/m <sup>3</sup>
		(vacated) S*	-

### Appropriate engineering controls

Engineering Controls	Showers	
	Eyewash stations	
	Ventilation systems.	

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing. Use rubber or plastic gloves.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color

Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Liquid No information available Green

Values Does not apply No information available > 149 °C / 300 °F > 93.3 °C / 200 °F No information available No information available

No information available

OdorSharpOdor thresholdNo information available

Remarks • Method

Lower flow mobility limit.

Lower flammability limit:
Vapor pressure
Vapor density
Relative density
Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing properties

### **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available No information available 1.10 Slightly soluble No information available No information available

No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## Conditions to avoid

Incompatible materials.

## Incompatible materials

Strong oxidizers.

## **Hazardous Decomposition Products**

Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

## Product Information

Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROXYETHYL	= 5050 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
METHACRYLATE			
868-77-9			
ACRYLIC ACID	= 193 mg/kg (Rat) = 33500 µg/kg	= 280 μL/kg (Rabbit)= 295 mg/kg	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L
79-10-7	(Rat)	(Rabbit)	( Rat ) 4 h
CUMENE HYDROPEROXIDE	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h
80-15-9			

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization		
Germ	cell	mutagenicity

No information available. No information available.

Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
ACRYLIC ACID	_	Group 3	-	-
79-10-7				

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 1,541.60 mg/kg

 ATEmix (dermal)
 2,199.10 mg/kg

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HYDROXYETHYL	-	213 - 242: 96 h Pimephales	-
METHACRYLATE		promelas mg/L LC50 flow-through	
868-77-9		227: 96 h Pimephales promelas	
		mg/L LC50	
ACRYLIC ACID 79-10-7	0.17: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.04: 72 h Desmodesmus subspicatus mg/L EC50	222: 96 h Brachydanio rerio mg/L LC50 semi-static	270: 24 h Daphnia magna mg/L LC50 Static 95: 48 h Daphnia magna mg/L EC50
CUMENE HYDROPEROXIDE	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
80-15-9		mg/L LC50 static	

## Persistence and degradability

No information available.

#### **Bioaccumulation**

Chemical Name	Partition coefficient
HYDROXYETHYL METHACRYLATE	0.47
868-77-9	
ACRYLIC ACID	0.38 - 0.46
79-10-7	

Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

## Waste treatment methods

**Disposal of wastes** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** 

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	<b>RCRA - U Series Wastes</b>
ACRYLIC ACID	-	-	-	U008
79-10-7				
CUMENE	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

Chemical Name	California Hazardous Waste Status
CUMENE HYDROPEROXIDE	Toxic
80-15-9	Ignitable

## 14. TRANSPORT INFORMATION

DOT_ UN/ID no. Proper shipping name Hazard Class Packing Group Special Provisions Description	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Aliphatic Urethane Methacrylate) 9 III 8, 146, 173, 335, IB3, T4, TP1, TP29 Note: Not regulated for ground transport
IATA	
UN/ID no.	UN 3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Aliphatic Urethane Methacrylate)
Hazard Class	9
Packing Group	III
Special Provisions	A97, A158, A197
Description	Limited quantities: 5 L, 30 kg gross weight
IMDG_	
UN/ID no.	UN 3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Aliphatic Urethane Methacrylate)
Hazard Class	9
Packing Group	III
EmS-No.	F-A, S-F
Special Provisions	274, 335, 969
Marine pollutant	Yes
Description	Limited quantities: 5 L, 30 kg gross weight

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
ACRYLIC ACID - 79-10-7	1.0	
CUMENE HYDROPEROXIDE - 80-15-9	1.0	

#### SARA 311/312 Hazard Categories

Acute health hazard	-
Chronic Health Hazard	-
Fire hazard	-
Sudden release of pressure hazard	-
Reactive Hazard	-

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ
CUMENE HYDROPEROXIDE	10 lb	-	RQ 10 lb final RQ
80-15-9			RQ 4.54 kg final RQ

### US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID 79-10-7	Х	X	Х
CUMENE HYDROPEROXIDE 80-15-9	Х	X	Х

## **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards -	Flammability -	Instability -	Physical and Chemical Properties -
HMIS	Health hazards -	Flammability -	Physical hazards -	Personal protection -
Prepared By Issue Date Revision Date Revision Note	SDS coordinator 30-Jun-2015 09-Mar-2021 No information available			

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**